

nokian[®]
TYRES

TRUCK AND BUS TYRES







Nokian Tyres – with you where the job is done

Wherever you operate, you can be certain that Nokian Tyres has the right tyre for the job at hand. We come out from the lab and get our hands dirty. We get to know the conditions where the actual work is done and base our development on that knowledge. Each special tyre is developed with true passion for improvement and by closely listening to the needs of our customers.



Suldal

R580

Transport

Åland - Göteborg

CONTENTS

Nokian Hakkapeliitta _____	6
Nokian Hakka Truck _____	14
Nokian E-Truck _____	20
Nokian R-Truck _____	26
Application area recommendations _____	32
Dimensions and LI/SS _____	34

Truck and bus tyres

Nokian Tyres' truck and bus tyres are designed for demanding professional use in varying conditions with the aim of ensuring safe driving in all weather and road conditions. In our own test centers in Ivalo, Lapland, and in Nokia, Finland, we test extreme driving conditions in all seasons. Further development of the tyres involves millions of kilometres of driving in different environments and in all kinds of weather conditions.



Nokian Hakkapeliitta

At the forefront of safety, the Nokian Hakkapeliitta winter tyres master the most demanding winter conditions in the world. A successful combination of state-of-the-art technology and unique innovation, Nokian Hakkapeliitta tyres are reliable, world-class winter tyres.



Nokian Hakkapeliitta Truck F2

Steering axle tyre for demanding winter conditions

TYPE
Steer axle tyre

APPLICATION
Long and medium haul operations in winter conditions

Designed for medium and long haul transports on snowy forest roads as well as icy highways, Nokian Hakkapeliitta Truck F2 offers steady handling and short braking distance even in extreme winter conditions. What's more, it maintains its good properties even when worn.

- Aggressive pattern, deep grooves and new shoulder design for reference-level grip and good self-cleaning
- Improved Spiral Sipe System keeps the siping effective even when the tyre wears down
- Large, new stone ejectors protect the tyre from stone trapping



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
295/80R22.5 HKPL TRUCK F2	154/149M	D	B	71	1	T675041
315/70R22.5 HKPL TRUCK F2	156/150L (154/150M)	D	C	71	1	T675040
315/80R22.5 HKPL TRUCK F2	156/150L (154/150M)	D	B	73	2	T675039
385/65R22.5 HKPL TRUCK F2	160K (158L)	D	A	73	2	T675038
385/55R22.5 HKPL TRUCK F2	160K	D	C	74	2	T675236
385/65R22.5 HKPL TRUCK F2 XL	164K	C	B	75	2	T675237

Nokian Hakkapeliitta City Bus

Durability and winter grip for city buses

TYPE

All-position tyre

APPLICATION

All-season city bus use

The city buses must be on schedule regardless of the weather. That's why Nokian Hakkapeliitta City Bus features a new, aggressive pattern and efficient siping with plenty of grip on snow and ice – even when worn. Reinforced sidewalls and even wear pattern ensure good mileage, making Nokian Hakkapeliitta City Bus an ideal choice for demanding city bus use.

- Excellent winter grip
- Reinforced sidewalls protect the tyre against curbs
- Siping designed for minimal heel/toe wear



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
275/70R22.5 HKPL CITY BUS	150/145J (152/148E)	D	B	72	1	T675218
295/80R22.5 HKPL CITY BUS	152/148J (154/150E)	D	B	75	2	T675240

Nokian Hakkapeliitta Truck E

The best grip in extreme conditions

TYPE
Drive axle tyre

APPLICATION
Medium and regional haul operations in winter conditions

When the conditions get extreme, Nokian Hakkapeliitta Truck E is your choice. Designed for heavy loads in the harshest, most demanding Nordic weather, it gives you outstanding grip, excellent wear resistance and precise handling.

- More than 1,100 efficient transverse sipes
- Arrow-shaped tread design and sharp tread block front edges improve grip on ice and snow
- Staggered tread block placement reduces tyre noise



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
295/80R22.5 HKPL TRUCK E	152/148M	E	D	73	1	T675017
315/70R22.5 HKPL TRUCK E	152/148M (154/150L)	E	D	76	2	T675019
315/80R22.5 HKPL TRUCK E	154/150M (156/150L)	E	C	74	2	T675018

Nokian Hakkapeliitta Truck D

Superior grip and stability in the long haul

TYPE
Drive axle tyre

APPLICATION
Long and medium haul operations in winter conditions

With Nokian Hakkapeliitta Truck D, you will get reliability, superior grip and stable, comfortable handling – all tried and tested in the rough Northern roads with plenty of packed snow and ice.

- Deep 3D siping maintains grip even when the tyre wears down
- Low rolling resistance saves fuel and the environment
- Low tyre noise ensures comfortable ride



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
295/80R22.5 HKPL TRUCK D	152/148M	E	C	74	2	T675031
315/70R22.5 HKPL TRUCK D	152/148M (154/150L)	E	C	73	1	T675032
315/80R22.5 HKPL TRUCK D	154/150M (156/150L)	E	D	76	2	T675030
275/70R22.5 HKPL TRUCK D	148/145M	D	B	75	2	T675233

Nokian Hakkapeliitta Truck T

For controlled trailer handling on snow and ice

TYPE
Trailer tyre

APPLICATION
Medium and regional haul operations in winter conditions

Complementing the Nokian Hakkapeliitta Truck series, Nokian Hakkapeliitta Truck T is our new top-of-the-line trailer tyre for demanding winter conditions. Replacing the classic NTR-827, it features all-new design with open pattern and effective trapeze-shaped siping for good grip even when worn. Fitted in autumn, Nokian Hakkapeliitta Truck T is suitable for all-season use.

- Wide zigzag-shape grooves improve self-cleaning and grip on snow
- Strong shoulders prevent shoulder wear even in tight cornering
- Marked stud places for effective studding



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
265/70R19.5 HKPL TRUCK T	143/141J	D	C	72	2	T675232



Nokian Hakka Truck

Truck and bus tyres must be reliable and economical in all climates and conditions that the professional driver may encounter. The Nokian Hakka Truck tyres are designed to master even the most challenging, rapidly changing weather and road conditions – with respect for the environment.





Nokian Hakka Truck Steer

Stable steering tyre for all seasons

TYPE
Steer axle tyre

APPLICATION
All-season tyre for medium and long haul applications

Nokian Hakka Truck Steer boasts many advanced features to make it both sturdy and comfortable. Its wide tread gives you good mileage while the new, improved stone ejectors prevent stones from trapping in the grooves. Low tyre noise and steady handling make Nokian Hakka Truck Steer a safe, pleasant partner for long journeys around the year.

- Wide, slow-wearing tread for excellent mileage
- New kind of sipe activators improve grip on snowy and wet surfaces
- Stone ejectors protect the tyre from stone trapping



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
295/80R22.5 HAKKA TRUCK STEER	154/149M	D	A	70	1	T675221
315/70R22.5 HAKKA TRUCK STEER	156/150L (154/150M)	C	B	70	1	T675220
315/80R22.5 HAKKA TRUCK STEER	156/150L (154/150M)	D	A	70	1	T675214
385/65R22.5 HAKKA TRUCK STEER	160K (158L)	C	B	70	1	T675222
385/55R22.5 HAKKA TRUCK STEER	160K	D	C	71	1	T675241

Nokian Hakka Truck Drive

Grip around the year

TYPE
Drive axle tyre

APPLICATION
All-season medium and long haul operations

Designed for stable handling and grip in rain, snow or slush, Nokian Hakka Truck Drive can be used around the year and fitted in any season. Reliable and economical, it maintains its properties throughout its service life.

- Open V-shaped tread design with good self-cleaning
- Effective siping improves grip in both acceleration and braking
- Optimized tread pattern staggering ensures even wear pattern



NOKIAN HAKKA TRUCK

AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
295/80R22.5 HAKKA TRUCK DRIVE	152/148M	E	C	75	2	T675034
315/70R22.5 HAKKA TRUCK DRIVE	152/148M (154/150L)	D	C	75	2	T675036
315/80R22.5 HAKKA TRUCK DRIVE	154/150M (156/150L)	D	C	74	2	T675035

Nokian Hakka Truck 844 / 844+

Sturdy tyre for all seasons

TYPE
Trailer axle tyre

APPLICATION
All-season long and medium haul operations. Also for steer axle use.

Nokian Hakka Truck 844 is a sturdy tyre for many purposes. Designed to operate flawlessly even under demanding conditions, it offers excellent mileage and good wear resistance. Its excellent retreading capabilities reduce overall costs.

- New 265/70R19.5 and 275/70R22.5 Nokian Hakka Truck 844+ versions with improved mileage and added stone ejectors
- New belt structure ensures even wear and excellent mileage
- The Spiral Sipe System maintains tyre properties even when worn
- Stone ejectors in the main grooves reduce stone trapping



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
265/70R19.5 HAKKA TRUCK 844+	143/141J	D	B	69	1	T675216
275/70R22.5 HAKKA TRUCK 844+	148/145L	C	B	67	1	T675215
385/55R22.5 HAKKA TRUCK 844	160K (158L)	D	B	71	1	T675033



Nokian E-Truck

Nokian E-Truck is a series of medium and regional haul tyres designed for European roads. They give you as many comfortable and economical kilometres as possible. When you must cover some serious distances, Nokian E-Truck is your choice.





NOKIAN E-TRUCK

Nokian E-Truck Steer

Steady handling in the long run

TYPE
Steer axle tyre

APPLICATION
All-season medium and regional haul operations

Nokian E-Truck Steer is designed for year-round use on steer axles on medium and regional haul trucks and buses. Its good wet grip and strong pattern give you steady, predictable handling.

- New type of zigzag-shaped grooves prevent stone trapping
- Even wear pattern for good mileage
- Spiral Sipe System adds grip on all roads



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
295/80R22.5 E-TRUCK STEER	152/148M	C	B	70	1	T675226
315/70R22.5 E-TRUCK STEER	154/150L (152/148M)	C	A	71	2	T675223
315/80R22.5 E-TRUCK STEER	156/150L (154/150M)	C	A	69	1	T675219
385/65R22.5 E-TRUCK STEER						T675247 ¹⁾

1) Q4/2019

Nokian E-Truck Drive

Grip that doesn't wear out

TYPE
Drive axle tyre

APPLICATION
All-season medium and regional haul operations

Nokian E-Truck Drive is an all-season drive axle tyre designed for medium and regional haul operations. It offers good grip and economical kilometers on different kinds of roads and weather conditions.

- Effective block pattern and open center tread design ensure good traction
- Even wear pattern for long, trouble-free life
- Low rolling resistance and tyre noise for fuel economy and comfort



NOKIAN E-TRUCK

AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
295/80R22.5 E-TRUCK DRIVE	152/148M	D	B	75	2	T675225
315/70R22.5 E-TRUCK DRIVE	154/150L (152/148M)	D	B	73	1	T675224
315/80R22.5 E-TRUCK DRIVE	154/150M (156/150L)	D	B	76	2	T675213

Nokian E-Truck Trailer

Heavy loads, long journeys

TYPE
Trailer tyre

APPLICATION
All-season tyre for medium and regional haul applications

Nokian E-Truck Trailer is your economical choice for demanding year-round trailer use on main roads. Its robust shoulders and even wear pattern guarantee good mileage, while the low rolling resistance saves fuel and the environment.

- New zigzag-shaped grooves improve stability
- Less stone trapping for longer tyre life
- Good grip on main road use



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
385/65R22.5 E-TRUCK TRAILER	160K (158L)	C	B	70	1	T675217
265/70R19.5 E-TRUCK TRAILER	143/141J	D	A	71	1	T675244 ¹⁾
358/55R22.5 E-TRUCK TRAILER	160K	C	B	72	2	T675227 ¹⁾
235/75R17.5 E-TRUCK TRAILER						T675245 ²⁾
245/70R17.5 E-TRUCK TRAILER						T675246 ²⁾
215/70R22.5 E-TRUCK TRAILER						T675254 ³⁾

1) Q3/2019

2) Q4/2019

3) Q1/2020



NOKIAN E-TRUCK

Nokian R-Truck

Designed to meet the requirements on the rough surface conditions and the bare road driving, the Nokian R-Truck series is at home in demanding on/off-road applications. Their good self-cleaning properties enable good grip even on soft surfaces, while high quality materials ensure resistance against chipping and tearing.





Nokian R-Truck Steer

For controlled steering both on and off-road

TYPE
Steer axle tyre

APPLICATION
All-season on/off-road use

Off-road use sets high demands on a tyre. Nokian R-Truck Steer is made to work both on a highway and on a rough, tough terrain. Its open tread pattern and wide grooves ensure good self-cleaning and grip in changing driving conditions. This makes it an ideal choice for demanding on/off-road applications.

- Stone ejectors in the main grooves prolong operating life especially on rough surfaces
- High quality rubber compound for a long service life
- Low heat build-up means the tyre wears evenly and retains its good properties throughout its lifetime



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
315/80R22.5 R-TRUCK STEER	156/150K	C	B	70	1	T675238
385/65R22.5 R-TRUCK STEER	160K	C	B	71	1	T675239

Nokian R-Truck Drive

Sturdy drive axle tyre for demanding on/off-road use

TYPE
Drive axle tyre

APPLICATION
All-season on/off-road use

When the job at hand takes you off the paved road, you'll need tyres you can rely on. Nokian R-Truck Drive is designed to work both on a highway and on a rough, tough terrain. Its large blocks on tread offer durability and reduce chipping and tearing in challenging environments. This makes it an ideal choice for demanding on/off-road applications.

- Open tread pattern ensures good self-cleaning and grip in changing driving conditions
- High quality rubber compound for a long service life
- Low heat build-up means the tyre wears evenly and retains its good properties throughout its lifetime



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
315/80R22.5 R-TRUCK DRIVE	156/150K	D	B	75	2	T675235

Nokian R-Truck Trailer

Reliability for on/off-road use

TYPE
Trailer tyre

APPLICATION
All-season on/off-road use

Off-road use in rough, tough conditions sets high demands for a trailer tyre as well. Nokian R-Truck Trailer has features that ensure long, trouble-free service life both on and off-road. Its open tread pattern ensures good self-cleaning as well as durability in challenging conditions. This makes it an ideal choice for demanding on/off-road applications.

- Robust design ensures excellent mileage in addition to resistance to damage
- Special rubber compound and low heat build-up means that tyre wears evenly and retains its good properties throughout its lifetime
- Stone ejectors in the main grooves prolong operating life especially on rough surfaces throughout its lifetime



AVAILABLE SIZES AND LABELING DATA



M+S

DESCRIPTION	LI/SS	RRC CLASS	WET CLASS	NOISE DB	NOISE WAVES	PRODUCT CODE
385/65R22.5 R-TRUCK TRAILER	160K (158L)	C	B	74	2	T675234
265/70R19.5 R-TRUCK TRAILER	143/141J	E	B	73	2	T675242 ¹⁾
275/70R22.5 R-TRUCK TRAILER	148/145L					T675243 ¹⁾

¹⁾ Q3/2019


















NOKIAN R-TRUCK




APPLICATION AREA RECOMMENDATIONS

Nokian Hakkapeliitta & Hakka Truck

	WINTER USE 	LONG DISTANCE 	REGIONAL 	TIMBER TRANSPORT 	ON/OFF-ROAD 	LONG DISTANCE BUSES 	CITY BUSES 	3PMSE M+S MARKINGS
Steer								
Hakkapeliitta Truck F2	**							3PMSE, M+S
Hakkapeliitta City Bus	**							3PMSE, M+S
Hakka Truck Steer	*							3PMSE, M+S
Hakka Truck 844+	*							3PMSE, M+S
Hakka Truck 844 WS	*							3PMSE, M+S
Drive								
Hakkapeliitta Truck D	**							3PMSE, M+S
Hakkapeliitta Truck E	**							3PMSE, M+S
Hakkapeliitta City Bus	**							3PMSE, M+S
Hakka Truck Drive	**							3PMSE, M+S
Hakkapeliitta Truck T	**							3PMSE, M+S
Trailer								
Hakkapeliitta Truck F2	**							3PMSE, M+S
Hakkapeliitta Truck T	**							3PMSE, M+S
Hakka Truck 844+	*							3PMSE, M+S
Hakka Truck 844 WS	*							3PMSE, M+S















Nokian E-Truck

	WINTER USE 	LONG DISTANCE 	REGIONAL 	TIMBER TRANSPORT 	ON/OFF-ROAD 	LONG DISTANCE BUSES 	CITY BUSES 	3PMSE M+S MARKINGS
Steer								
E-Truck Steer	*							3PMSE, M+S
Drive								
E-Truck Drive	*							3PMSE, M+S
Trailer								
E-Truck Trailer	*							3PMSE, M+S

 Highly recommended
  Recommended
 Recommended with reservations

** Excellent grip in severe winter conditions
 * Good grip in normal winter road conditions

Nokian R-Truck

	WINTER USE 	LONG DISTANCE 	REGIONAL 	TIMBER TRANSPORT 	ON/OFF-ROAD 	LONG DISTANCE BUSES 	CITY BUSES 	3PMSF M+S MARKINGS
Steer								
R-Truck Steer	*							3PMSF, M+S
Drive								
R-Truck Drive	*							3PMSF, M+S
Trailer								
R-Truck Trailer	*							3PMSF, M+S

TECHNICAL SPECIFICATIONS

Nokian Hakkapeliitta / Hakka Truck

TYRE SIZE	PATTERN DESIGN	LOAD INDEX SPEED SYMBOL	ADDITIONAL MARKING	FITTING SINGLE/DUAL	SPEED SYMBOL	REFERENCE SPEED km/h	MAXIMUM LOAD CAPACITY PER AXLE (kg) AT VARIOUS COLD INFLATION PRESSURES (BAR) ¹⁾										
							6,50	6,75	7,00	7,25	7,50	7,75	8,00	8,25	8,50	8,75	9,00
265/70R19.5	HKPL TRUCK T	143/141J	-	Single	J	100	4280	4420	4570	4720	4860	5010	5160	5300	5450		
	HAKKA TRUCK 844+	143/141J	-	Dual	J	100	8090	8360	8640	8920	9190	9470	9750	10020	10300		
275/70R22.5	HAKKA TRUCK 844+	148/145L	-	Single	L	120	4690	4850	5010	5170	5340	5500	5660	5820	5980	6140	6300
				Dual	L	120	8640	8940	9230	9530	9830	10120	10420	10710	11010	11310	11600
275/70R22.5	HKPL CITY BUS	150/145J	152/148E	Single	J	100	4990	5160	5330	5500	5670	5840	6020	6190	6360	6530	6700
				Dual	J	100	8640	8940	9230	9530	9830	10120	10420	10710	11010	11310	11600
				Single	E	70	5290	5470	5650	5830	6010	6190	6370	6560	6740	6920	7100
				Dual	E	70	9380	9710	10030	10350	10670	10990	11310	11630	11960	12280	12600
295/80R22.5	HKPL TRUCK E	152/148M	-	Single	M	130	5570	5760	5950	6150	6340	6530	6720	6910	7100		
	HKPL TRUCK D	152/148M	-	Dual	M	130	9890	10230	10570	10910	11240	11580	11920	12260	12600		
	HAKKA TRUCK DRIVE	152/148M	-														
295/80R22.5	HKPL TRUCK F2	154/149M	-	Single	M	130	5890	6090	6290	6490	6690	6900	7100	7300	7500		
	HAKKA TRUCK STEER	154/149M	-	Dual	M	130	10200	10550	10900	11250	11600	11950	12300	12650	13000		
315/70R22.5	HKPL TRUCK E	152/148M	154/150L	Single	M	130	5570	5760	5950	6150	6340	6530	6720	6910	7100		
	HKPL TRUCK D	152/148M	154/150L	Dual	M	130	9890	10230	10570	10910	11240	11580	11920	12260	12600		
	HAKKA TRUCK DRIVE	152/148M	154/150L	Single	L	120	5590	5780	5970	6160	6350	6540	6730	6930	7120	7310	7500
				Dual	L	120	9980	10320	10660	11010	11350	11690	12030	12370	12720	13060	13400
315/70R22.5	HKPL TRUCK F2	156/150L	154/150M	Single	L	120	5960	6160	6370	6570	6780	6980	7180	7390	7590	7800	8000
	HAKKA TRUCK STEER	156/150L	154/150M	Dual	L	120	9980	10320	10660	11010	11350	11690	12030	12370	12720	13060	13400
				Single	M	130	5590	5780	5970	6160	6350	6540	6730	6930	7120	7310	7500
315/80R22.5	HKPL TRUCK E	154/150M	156/150L	Single	M	130	6050	6260	6460	6670	6880	7090	7290	7500			
		154/150M	156/150L	Dual	M	130	10810	11180	11550	11920	12290	12660	13030	13400			
	HAKKA TRUCK DRIVE	154/150M	156/150L	Single	L	120	6280	6490	6710	6920	7140	7350	7570	7780	8000		
		156/150L	154/150M	Dual	L	120	10810	11180	11550	11920	12290	12660	13030	13400			
	HAKKA TRUCK STEER	156/150L	154/150M														
385/55R22.5	HKPL TRUCK F2	160K	158L	Single	K	110	6700	6930	7160	7390	7620	7850	8080	8310	8540	8770	9000
	HAKKA TRUCK 844	160K	158L	Single	L	120	6670	6900	7130	7350	7580	7810	8040	8270	8500		
		HAKKA TRUCK STEER	160K	-													
385/65R22.5	HKPL TRUCK F2	160K	158L	Single	K	110	6700	6930	7160	7390	7620	7850	8080	8310	8540	8770	9000
	HAKKA TRUCK STEER	160K	158L	Single	L	120	6670	6900	7130	7350	7580	7810	8040	8270	8500		
		HKPL TRUCK F2 XL	164K	-	Single	K	110	7400	7650	7900	8160	8410	8660	8920	9170	9420	9680

1) The above inflation pressures are minimum values. On front axle use it is recommended to use the table values increased with 1,0 bar, but not exceed 9,0 bar pressures.

Nokian Hakkapeliitta, Hakka Truck, E-Truck, R-Truck

CODE	TYRE SIZE	PATTERN DESIGN	LOAD INDEX, SPEED SYMBOL	ADDITIONAL MARKING	APPROVED RIMS	TREAD DEPTH	OVERALL DIAMETER	TYRE WIDTH	STATIC LOADED RADIUS	ROLLING CIRC.	REVOLUTIONS PER KM	REVOLUTIONS PER MILE	MINIMUM DUAL SPACING
					in	mm	mm	mm	mm			mm	
T675218	275/70R22.5	HKPL CITY BUS	150/145J	152/148E	8.25, 7.50	20.5	969	275	455	2945	340	546	311
T675031	295/80R22.5	HKPL TRUCK D	152/148M	-	9.00, 8.25	20.0	1063	296	495	3231	310	498	335
T675032	315/70R22.5	HKPL TRUCK D	152/148M	154/150L	9.00, 9.75	19.5	1032	314	476	3137	319	513	351
T675030	315/80R22.5	HKPL TRUCK D	154/150M	156/150L	9.00, 9.75	20.0	1087	312	504	3304	303	487	351
T675017	295/80R22.5	HKPL TRUCK E	152/148M	-	9.00, 8.25	20.0	1064	296	495	3231	310	498	335
T675019	315/70R22.5	HKPL TRUCK E	152/148M	154/150L	9.00, 9.75	19.5	1031	314	476	3133	319	514	351
T675018	315/80R22.5	HKPL TRUCK E	154/150M	156/150L	9.00, 9.75	20.0	1086	312	503	3304	303	487	351
T675041	295/80R22.5	HKPL TRUCK F2	154/149M	-	9.00, 8.25	16.0	1054	297	491	3203	312	502	335
T675040	315/70R22.5	HKPL TRUCK F2	156/150L	154/150M	9.00, 9.75	15.5	1021	312	471	3103	322	519	351
T675039	315/80R22.5	HKPL TRUCK F2	156/150L	154/150M	9.00, 9.75	16.0	1078	312	501	3277	305	491	351
T675038	385/65R22.5	HKPL TRUCK F2	160K	158L	11.75, 12.25	16.0	1086	376	502	3301	303	488	-
T675237	385/65R22.5	HKPL TRUCK F2 XL	164K	-	11.75, 12.25	16.0	1084	381	501	3295	303	488	-
T675232	265/70R19.5	HKPL TRUCK T	143/141J	-	7.50, 6.75, 8.25	14.5	867	262	406	2635	380	611	295
T675033	385/55R22.5	HAKKA TRUCK 844	160K	158L	11.75, 12.25	15.0	1002	384	467	3046	328	528	-
T675216	265/70R19.5	HAKKA TRUCK 844+	143/141J	-	7.50, 6.75, 8.25	14.0	872	251	403	2650	377	607	295
T675215	275/70R22.5	HAKKA TRUCK 844+	148/145L	-	8.25, 7.50	14.5	964	272	448	2930	341	549	311
T675034	295/80R22.5	HAKKA TRUCK DRIVE	152/148M	-	9.00, 8.25	18.5	1060	296	488	3222	310	499	335
T675036	315/70R22.5	HAKKA TRUCK DRIVE	152/148M	154/150L	9.00, 9.75	18.0	1029	314	474	3128	320	514	351
T675035	315/80R22.5	HAKKA TRUCK DRIVE	154/150M	156/150L	9.00, 9.75	18.5	1085	312	504	3298	303	488	351
T675221	295/80R22.5	HAKKA TRUCK STEER	154/149M	-	9.00, 8.25	15.5	1047	298	488	3182	314	506	335
T675220	315/70R22.5	HAKKA TRUCK STEER	156/150L	154/150M	9.00, 9.25	14.0	1021	312	471	3103	322	519	351
T675214	315/80R22.5	HAKKA TRUCK STEER	156/150L	154/150M	9.00, 9.75	15.5	1079	314	501	3280	305	491	351
T675222	385/65R22.5	HAKKA TRUCK STEER	160K	158L	11.75, 12.25	15.5	1083	376	501	3292	304	489	-
T675241	385/55R22.5	HAKKA TRUCK STEER	160K	-	11.75, 12.25	15.5	1005	384	468	3055	327	527	-
T675225	295/80R22.5	E-TRUCK DRIVE	152/148M	-	9.00, 8.25	17.5	1044	298	491	3204	312	502	335
T675224	315/70R22.5	E-TRUCK DRIVE	154/150L	152/148M	9.00, 9.25	17.5	1027	314	474	3122	320	515	351
T675213	315/80R22.5	E-TRUCK DRIVE	154/150M	156/150L	9.00, 9.75	17.5	1081	314	502	3286	304	490	351
T675226	295/80R22.5	E-TRUCK STEER	152/148M	-	9.00, 8.25	13.5	1044	298	487	3173	315	507	335
T675223	315/70R22.5	E-TRUCK STEER	154/150L	152/148M	9.00, 9.75	13.5	1019	318	473	3097	323	520	351
T675219	315/80R22.5	E-TRUCK STEER	156/150L	154/150M	9.00, 9.75	14.5	1071	314	498	3255	307	494	351
T675244	265/70R19.5	E-TRUCK TRAILER	143/141J	-	7.50, 6.75, 8.25	13.5	871	250	404	2648	378	608	295
T675217	385/65R22.5	E-TRUCK TRAILER	160K	158L	11.75, 12.25	15.5	1080	378	499	3283	305	490	-
T675235	315/80R22.5	R-TRUCK DRIVE	156/150K	-	9.00, 9.75	21.5	1076	312	500	3271	306	492	351
T675238	315/80R22.5	R-TRUCK STEER	156/150K	-	9.00, 9.75	16.0	1082	309	503	3289	304	489	351
T675239	385/65R22.5	R-TRUCK STEER	160K	-	11.75, 12.25	16.0	1086	378	502	3301	303	488	-
T675242	265/70R19.5	R-TRUCK TRAILER	143/141J	-	7.50, 6.75, 8.25	15.0	877	252	405	2666	375	604	295
T675234	385/65R22.5	R-TRUCK TRAILER	160K	158L	11.75, 12.25	15.0	1072	389	496	3258	307	494	-

Nokian E-Truck, Nokian R-Truck

TYRE SIZE	PATTERN DESIGN	LOAD INDEX SPEED SYMBOL	ADDITIONAL MARKING	FITTING SINGLE/ DUAL	SPEED SYMBOL	REFERENCE SPEED km/h	MAXIMUM LOAD CAPACITY PER AXLE (kg) AT VARIOUS COLD INFLATION PRESSURES (BAR) ¹⁾										
							6,50	6,75	7,00	7,25	7,50	7,75	8,00	8,25	8,50	8,75	9,00
265/70R19.5	E-TRUCK TRAILER	143/141J	-	Single	J	100	4280	4420	4570	4720	4860	5010	5160	5300	5450		
	R-TRUCK TRAILER	143/141J	-	Dual	J	100	8090	8360	8640	8920	9190	9470	9750	10020	10300		
275/70R22.5	R-TRUCK TRAILER	148/145L	-	Single	L	120	4690	4850	5010	5170	5340	5500	5660	5820	5980	6140	6300
				Dual	L	120	8640	8940	9230	9530	9830	10120	10420	10710	11010	11310	11600
295/80R22.5	E-TRUCK STEER	152/148M	-	Single	M	130	5570	5760	5950	6150	6340	6530	6720	6910	7100		
	E-TRUCK DRIVE	152/148M	-	Dual	M	130	9890	10230	10570	10910	11240	11580	11920	12260	12600		
315/70R22.5	E-TRUCK STEER	154/150L	152/148M	Single	L	120	5590	5780	5970	6160	6350	6540	6730	6930	7120	7310	7500
				Dual	L	120	9980	10320	10660	11010	11350	11690	12030	12370	12720	13060	13400
	E-TRUCK DRIVE	154/150L	152/148M	Single	M	130	5570	5760	5950	6150	6340	6530	6720	6910	7100		
				Dual	M	130	9890	10230	10570	10910	11240	11580	11920	12260	12600		
315/80R22.5	E-TRUCK STEER	156/150L	154/150M	Single	L	120	6280	6490	6710	6920	7140	7350	7570	7780	8000		
				Dual	L	120	10810	11180	11550	11920	12290	12660	13030	13400			
	E-TRUCK DRIVE	154/150M	156/150L	Single	M	130	6050	6260	6460	6670	6880	7090	7290	7500			
				Dual	M	130	10810	11180	11550	11920	12290	12660	13030	13400			
315/80R22.5	R-TRUCK STEER	156/150K	-	Single	K	110	6450	6670	6890	7120	7340	7560	7780	8000			
	R-TRUCK DRIVE	156/150K	-	Dual	K	110	10810	11180	11550	11920	12290	12660	13030	13400			
385/65R22.5	E-TRUCK TRAILER	160K	158L	Single	K	110	6700	6930	7160	7390	7620	7850	8080	8310	8540	8770	9000
	R-TRUCK STEER	160K	-	Single	L	120	6670	6900	7130	7350	7580	7810	8040	8270	8500		
	R-TRUCK TRAILER	160K	158L														

1) The above inflation pressures are minimum values. On front axle use it is recommended to use the table values increased with 1,0 bar, but not exceed 9,0 bar pressures.





Winter tyre markings:



“3PMSF”, tyre is accepted for severe snow conditions according to ECE 117.02 snow test. These tyres have also M+S marking.

M+S

Tyre is for snow conditions according to ECE 117.02 definition.



CONTACTS

Nokian Heavy Tyres Ltd.

Pirkkalaistie 7
P.O.Box 20
FIN-37101 Nokia
Finland

Tel. +358 10 401 7000
Fax +358 10 401 7318

CZECH REPUBLIC

Nokian Tyres s.r.o

Tel. +420 241 93 2668

NORWAY

Nokian Dekk AS

Tel. +47 64 84 77 00

SWITZERLAND

Nokian Reifen AG

Tel. +41 44 807 4000

GERMANY

Nokian Reifen GmbH

Tel. +49 911 527 550

RUSSIA

OOO Nokian Shina

Tel. +7 812 336 9000

SWEDEN

Nokian Däck AB

Tel. +46 8 474 7440

nokian[®]
TYRES

NOKIANTYRES.COM/HEAVY